

KORATECT® Anti-furring

Product type	Highly effective, colourless cleaning concentrate for exterior use. For the automatic removal of green furring.
Active substance	100 g contain 4.99 g quaternary ammonium compound.
Properties	<ul style="list-style-type: none">- Low odour- Water-dilutable- Good cleaning effect
Application	Wood, concrete, stone, glass and plastic surfaces as well as roof tiles, bitumen, sheet metal and thatched roofs outdoors.
Container sizes	1 l, 2.5 l
Density at 20 °C	Approx. 1.00 g/cm ³
Preparation	Brush off coarse dirt. Tie back (cover) plants and do not wet.
Yield	1 litre covers approximately 10–40 m ² , depending on the dilution or degree of soiling. Take increased consumption into account in case of strongly absorbent substrates.
Application	<p>Apply KORATECT® Anti-furring undiluted or diluted up to a maximum of 1:10 with water using a brush or sponge or watering can for larger areas and allow to take effect. After about 24 hours the green furring has disappeared automatically. Remove stubborn furring with a scrubbing brush. If necessary, repeat application or increase reaction time.</p> <p>Do not apply below +5 °C (applies to substrate, KORATECT® Anti-furring and ambient temperature).</p> <p>Rinse wood surfaces after appropriate reaction time with plenty of clean water and allow to dry. This can be followed by a decorative treatment with Koralan or Koranol products. We always recommend a test coat.</p>
Shelf life	<p>Sealed in its original container and at storage temperatures between +5 °C and +30 °C, KORATECT® Anti-furring has a shelf life of 12 months.</p> <p>If the product is stored for longer than the date or period specified on the label, it does not necessarily mean that the product is unfit for use. In this case a review of the property values required for the intended use is essential for reasons of quality assurance.</p>

KORATECT® Anti-furring

For more information on product safety and handling, please refer to the safety data sheet.

Our technical advice whether spoken, written or through test trials is given to the best of our knowledge, is to be understood as non-binding in character and in relation to any possible industrial property rights of third parties; it is not a substitute for your, the buyer's, own tests and trials on the products supplied by us to determine whether they are suitable for the intended processes and purposes. The application, use and processing of the products are beyond our control and, therefore, entirely your own responsibility. In the event that a liability is nevertheless considered, any compensation will be limited to the value of the goods supplied by us and used by you. Of course, we guarantee the perfect quality of our products according to our general terms and conditions.

*This information is intended as a guide and should not be used in preparing specifications

**Kurt Obermeier GmbH & Co. KG, Berghäuser Str. 70 - D-57319 Bad Berleburg, Germany Tel.: +49 2751 524-0
Fax: +49 2751 5041, Email: info@obermeier.de www.obermeier.de**